



The Leaflet

Newsletter of the Morgan Arboretum

Spring 2016

What to look for this spring:

Newts and salamanders

Frogs and woodland beauties

Birds and butterflies...

One of our four best seasons!

By Jim Fyles, Arboretum Director

By the time you read this message, spring will be in full bloom.

As I write, however, we are still wondering what has happened to winter, where all the snow was and, crucially, will there be enough to pour taffy on next weekend.

The new Arboretum phenology calendar on my wall tells me that, this week, the geese, robins and cedar waxwings arrive from the south (Merriam-Webster defines phenology as the branch of science that deals with relations between climate and biological phenomena like bird migration and plant flowering). And indeed they have. I was happy to see waxwings hungrily inspecting the leftover crabapples in Blossom Corner during the week and I was surprised this weekend by the lines of geese overhead. Obviously I shouldn't have been; they're on the calendar!

The Arboretum draws us into nature. It connects us with the rhythm of life in the circle of seasons. In the busyness of day-to-day living, the Arboretum is, literally and figuratively, a breath of fresh air. And I am finding it wonderful to have on my wall a daily reminder of what is happening out there, even if I can't find time to get to the woods.

March 9: "Grey squirrel pups are born". Really?! Who knew?

One of the seasonal phenomena we see each year is the migration of frogs and salamanders from the Arboretum woods to the ponds where they reproduce and spend the summer. In the woods, they can find a nice thick blanket of leaf mould or a lovely rotting log that protects them from extreme cold during the winter. With a thick layer of snow, many spots in the woods stay close to freezing even on clear frosty nights when the temperature dips. But come spring, amphibians find their way through forest and field to congregate at the water. I find this phenomenon phenomenal! It is remarkable that salamanders and newts, with their tiny legs, can negotiate their way around trees and logs, and then through the matted grass across the Conservation Centre field. But the biggest obstacle of all is our entrance road. Crossing those few meters of open gravel, with no overhead cover from predators and a regular pummeling by tires, is truly a death-defying feat.

Many do not survive the crossing; in spring we often find lifeless remains on the road. But this year we will try to make life better for migrating

Continued on page 4

TREE SALE

Join us
at the nursery
to discuss your
tree planting project

Sunday, April 24

9:00 am - 4:00 pm



Creatures you could encounter this spring

By Marina Kuneva, Student Volunteer

In line with our phenology theme for 2016, here is an overview of animals and plants to look for in the woods during the next few weeks. Because spring is when many species migrate and/or reproduce, they become more obvious to us as they go through important events in their life cycle. Can you locate them in their best outfit as they travel or reproduce?

Note that our mention of uses for plants is strictly for information. As you know, collection of plant material or any other natural element from the Arboretum is prohibited or requires prior authorization. Avoid picking, tasting and trampling plants and make sure not to stress or disturb animals as they are going through key phases of their life cycle. Remember that due to their permeable skin, amphibians are very sensitive to the traces of chemicals we often have on our hands. Bug spray is particularly toxic to them. Make sure to wash your hands carefully with a mild soap before and also after handling critters.

Eastern newt Triton vert *Notophthalmus viridescens*

In the early spring you might spot the eastern newt migrating towards a pond or shallow lake in the search of a suitable breeding site.

Description: The eastern newt, in the adult phase, is green with small red dots and has a yellow belly that is covered by black spots. The juvenile phase or so-called red elf is characterized by its bright orange-red colour.

Habitat and reproduction: The eastern newt goes through both terrestrial and aquatic life stages. Juveniles spend up to three years in the forest before they mature into adults and seek an aquatic environment to mate and

lay eggs. They can revert back to living in the forest at any time during their life cycle.

Diet: Although it predominantly eats insects

and small aquatic invertebrates, it can occasionally feast on the eggs of some frogs or other salamanders.



The adult eastern newt measures no more than 12 cm in length - John Williams (Flickr)



The red elf or juvenile eastern newt (Flickr)

Predators: Its highly toxic skin (mainly for the red elf) prevents the eastern newt from being an easy meal for most animals.

To find them: The adults migrate from the forest to the pond on rainy days in April and May.

Spring peeper Rainette crucifère *Pseudacris crucifer*

The call of the peepers, spring is on its way is a sure sign of spring.

Description: Generally brown, dark green, or grey in colour, but predominantly brown-beige in our neck of the woods, the spring peepers are easily identified by a darker mark in the form of an "X" on their back. Their maximum length is 3.7cm and they have large toe pads which are used for climbing.

Habitat and reproduction: The spring peepers prefer liv-



Maciek Zarzycki
Pharmacien-propriétaire

88, rue Ste-Anne
Ste-Anne-de-Bellevue (Québec) H9X 1L8

T 514 457-5681

F 514 457-8357

affilié à :

UNIPRIX




514.685. VETS
(8387)

www.animal911.ca

HÔPITAL
11400 boul. Gouin Ouest
Roxboro, Québec, H8Y 1X8
514.685. VETS (8387)

BUREAU
566 boul. Jacques-Bizard
Ile Bizard QC H9C 2H2
514.696.2004

ing on the forest floor, within proximity of wetlands or cattail ponds, which they require for their breeding rituals. When hibernating, they prefer to find cozy spots under dead logs or other forest debris. They will emerge from hibernating and gather in nearby ponds where the males will start to sing loudly in chorus. They use their vocal sac to create a short and distinct peeping sound that attracts females. Despite being our smallest frog species, they are also the loudest. As they are nocturnal, they tend to keep out of sight during the day.



The distinct cross pattern on its back and the toe pads



The males' vocal sac expands and deflates like a balloon - Kory Roberts (Flickr)

while adults are mostly chased by shrews, garter snakes and some birds. However, its early reproduction period, cryptic colouration and small size protect it from most predators.

To find them: In the beginning of spring, typically not long after the ice melts on the wetlands around mid-March. Their chanting will continue well into the month of May.

Blue spotted salamander

Salamandre à points bleus *Ambystoma laterale*

Common in Quebec, this medium sized salamander can often be found in your backyard, resting under a rock.

Description: Its name comes from the blue-colored spots on the sides of its body, more readily visible in the juveniles. Up to 13cm long, it has large feet and a boxy head.

Habitat: This salamander likes forests and bogs that are in proximity to its breeding ponds. However, a big part of its territory is underground where it also hibernates.

Diet: It feeds on a variety of invertebrates, such as worms, spiders and insects. The larvae aggressively compete for food in ponds and will attack small aquatic invertebrates.

Predators: When attacked, the blue spotted salamander releases a whitish secretion, which can be very toxic to predators. The introduction of various exotic fish species in ponds has been detrimental to the survival of the blue spotted salamander.

To find them: They start migrating towards breeding ponds in the beginning of April.



The blue spotted salamander, a contemporary dinosaur-looking creature - Erik Williams (Flickr)

Bloodroot

Sanguinaire du Canada *Sanguinaria canadensis*

A sheer beauty, an hors d'oeuvre of the spring show.



A delicate short-lived bloom is revealed as the single leaf unfurls

Description: Its flower contains 8 to 16 petals and measures about 20 cm in height and no more than 4 cm across. Each individual has one very large leaf that is thick and olive green in color with a lobed contour that is typical of the poppy family. It has detectable ribs that hold red-colored latex.

Habitat: The bloodroot likes rocky and humid habitats and is found exposed in direct sunlight within the forest understory.

Use: Like other species in the poppy family, the bloodroot's latex has been used as an opium derivative in some instances. Indigenous people have also used it to paint their faces and clothing because of its vivid red color. Its

Continued on page 6



Innovative Installation Systems for Ceramic and Natural Stone Tile

Schluter Systems (Canada) Inc.

21100 chemin Ste-Marie, Ste-Anne-de-Bellevue, QC H9X 3Y8

Tel.: 514-459-3200 | Fax: 877-667-2410 | email: info@schluter.com

www.schluter.com

Donors



donation figures 2014-2015

To all donors who's contributions provide the sunshine that sustains our activities and makes the Arboretum thrive: thank you!

In addition to the donors listed here, 41 individuals have contributed donations of less than \$50 for a total of \$977.
Every bit counts!

General:	\$11,934
Commemoration:	\$7,275
Benefactor & Sustaining:	\$4,012
Arbo 50 Endowment Fund:	\$3,101
Trail Improvement Fund:	\$2,666
Road Improvement Fund:	\$1,606
For a total of:	\$30,594

Continued from page 1

amphibians. The Arboretum is a hotspot for woodland frogs and salamanders. Even though we seldom see them, they are beautiful and we love to know that they are there. So, this year, and in years hence, we will be paying more attention to the migration. Often, huge numbers travel during the warm rainy weather of early spring. When we see large numbers, we will close the road and ask you to walk a little farther for the sake of the 'herps', as scientists call them. If you are diverted by such a herp crossing, take the time to walk the road and

look closely at the ground. You may see some of these tiny creatures making their spring trek, as they do each year.

Trekking in the Arboretum is not just for salamanders and it is one of the pleasures of an Arboretum visit. We are well provided with trails that can take us, if not to the wilderness, at least to scenic corners that are well away from our daily lives. Keeping the trails marked and in shape is a constant challenge and we are thankful to the many volunteers and Arboretum

staff who open the way for us. We are especially grateful for the volunteer Fall Cleanup crew who walked and trimmed all of the trails in preparation for ski season. We are also grateful for the volunteer ski patrollers who kept track of things and added a level of safety all winter. Of course, the skiing this winter left a lot to be desired with too much water in the early months and too much freezing rain and too little snowfall later. We are very thankful to Peter Kirby for his artistry with trail grooming

Continued on page 8

MUNICIPAL

SAINTE-ANNE-DE-BELLEVUE
SENNEVILLE

CORPORATION

DOMINION & GRIMM
FPINNOVATIONS
JARDIN CLEROUX
MDA CORPORATION
PEPINIERE CRAMER NURSERY
SCHLUTER SYSTEMS CANADA

PLATINUM x ≥ \$1000

WILMA BROWN
WALLACE DENVER
PAULINE FAZAKERLEY &
ALEX SMOLASH
JANE & PATRICK GUEST
ROBERT JOHNSON
PATRICE PELLERIN &
SHEILA SUZUKI

GOLD \$500 ≤ x < \$1000

PATRICE BERNEZ &
THERESE FOURNIER
BARBARA FOWLER
THE GARDEN CLUB OF MONTREAL
JANINE KIRBY & RONALD BARBER
CAROL LAPPIN
ESTHER ROULEAU MCCARTHY &
PATRICE MCCARTHY
ARNOLD ZWAG &
STEPHANIE HAMEL

SILVER \$100 ≤ x < \$500

PETER ABONYI &
DENISE VERMETTE
MARGOT ADAIR
CHARLES ANDERSON &
JENNY ANDERSON

PRÉSERVATION DES ARBRES MATURES CARE AND PRESERVATION

Arborfolia

- Élagage/Pruning
- Fertilisation/PHC
- Haubanage/Tree Guying
- Plantation & Evaluation

Jesse Bouchard-Nestor
Arboriculteur certifié
certified arborist
QU-0102A

CERTIFIED ARBORIST
ISA

WWW.ARBORFOLIA.COM

514.457.7555

RÉSIDENTIEL- MUNICIPAL-INSTITUTIONNEL



GEOFFREY ANDERSON & ALICE HAVEL	SHIRLEY GAVLAS & PIERRE MARTIN	GEORGE PANCIUK	ROSALYN BEAUDOIN	RICHARD LATULIPE
ED ANDERSON	FRANCINE GELINAS	RICHARD & JANE PICKERING	MARCIE BEIGLEMAN	LUCIE LEGAULT
DAPHNE ARDELL	BARBARA GRAVES	CARL POMERANTZ & RONDA FISHER	ERIC & PATRICIA BENDER	MILTON LILLO
IAN & VERA ASTON	GEORGE GUILLON & BARBARA GUILLON	ANDREW PORTER	TREVOR & BARBARA BISHOP	TRACY H. & JOHANNAH LLOYD
DONALD & PATRICIA BAIRD	ROSEMARY HARALDSSON & HOKAN HARALDSSON	HELENE & GEOFFREY QUAID	SUSAN BLACK	BARBARA & DON MACDUFF
SYDNEY BALL		ROBERT & DIANNE ROBINSON	CHANTAL BOUTHAT	LOIS MAEDER-ALVES & PETER ALVES
ROBERT & KAREN BAZOS	SUSAN HAWKER & PAUL SULLIVAN	COLIN ROSS	KERR & DARLENE CANNING	ISABEL MAICAS
DANIELLE BEAUDRY	MEREDITH & JUDY HAYES	JOHN & ALINE ROWEN	HELEN CARROLL	DONALYN MARPOLE
CAROLINE BEGG	SCOTT HLEDIN	YSABEL RUPP	BRUCE CASE & PATRICIA RILEY	ANDREW & LYUDMYLA MATYAS
HANS BERGER	KATHY HLEDIN	DON & JEAN SANCTON	DENIS CREVIER & HELENE LANGLOIS	WAYNE & JANET MCCARTNEY
MICHEL BISSONNETTE & LAURA GIROLAMI	CHRISTINE HODGSON	IAN SCOTT	ARTHUR DAWE	GAIL MCLEOD-GERMAIN & PATRICK GERMAIN
BARBARA A. BLACK	DAVID & JUDY HOLLAND	ROBERT SCULLY	ANDRE DE L'ETOILE & GUYLAINE BRUNET	JUAN MANUEL MENDEZ & CRISTINA MOURELLE
CAROLE BOUCHER & PAUL BILODEAU	RALPH & KAREN HOSKER	FRANCOIS & JEANNE SENECAI-TREMBLAY	HENRY DEFALQUE & MARIE-CHANTAL WANET	LOUISE MORIN & SERGE LAPORTE
JACQUES L. BOUCHER & ELAINE CHUBRY	MARY HOWSON	BARBARA SHAPIRO	KELLY DOHERTY & RICHARD HOY	FRED & ARLETTE PARKINSON
TODD & DIANE BURNS	MAURICE & JUDITH JAKUES	JEANNINE SIMON YOUNG & RICHARD YOUNG	CAROL DOYLE & ROGER HART	FRED & MARNA PENNELL
BONNIE CAMPBELL & GILLES DURUFLE	PIERRE & MONIQUE JEAN	NICK THORNE	ANITA DUNN	CONNIE ROBERTS
TREVOR H. & MARGARET CARON	CHRISTL JEMELKA	DAWSON TILLEY	Gael Eakin	JAMES ROWLANDSON
LAUREL CHAUVIN-KIMOFF & R. JOHN KIMOFF	FRED & VANDA KAYSER	ROSE-AIMEE TODD	JOAN ERZINGER MEYER	CHARLOTTE SCHMID
SUSAN CHILDS	DEBORAH & BENJAMIN KEMBALL	NICOLE & JEAN TROTTIER	ALLAN FABRIS & NICOLE PARE-FABRIS	TOBBY & LYNNE SKEIE
HILDA COLLINS	WAYNE KILBOURNE & NANCY FEELEY	UNION CHURCH	ROD & MAUREEN FALLON	SHIRLEY SKILLING
MARIE-BELLE CUNNINGHAM	TOM & KAREN KINGSBURY	KEES VAN ALTENA	BLAZENA FARRA	DANA SMITH & MARY RIGGIN
MICHAEL & KIM DAVIDMAN	ANNE-MARIE KUBANEK	JEAN-RENE VAN BECELAERE & BRIGITTE AUZERO	KENNETH FORREST & MARGO KEENAN	SALLY SOCKETT
JOHN G. DENNETT	RICHARD LAFLEUR & MANON BERNARD	MARY VITOU	CLAUDETTE FOURNIER & MOHAMMED GHARBI	ROBIN & CATHERINE STEWART
HELENE DESPAROIS & JOSEPH BLAIN	JUDITH LESCHALOUPE & RUDOLF FROST	LOUISE WATSON	HUBERT GENDRON	MARGUERITE STRATFORD & JEAN LALONDE
JOHN D. DOREY	LENORE LEWIS & GERALD VAN DER WEYDE	GEOFFREY WEBSTER	DOROTHY GLOUTNEY	EDMOND TASCHEREAU
BRUCE & PEGGY DOWNEY	NANCY LLOYD	PATRICIA WEIDLER	LINDA & DAVID GOODMAN	MARLENE & SAUL TICKTIN
PHILIPPE DRUELLE & JULIE ST. PIERRE	IAN & MARNEY MACDONALD	GREG & DALE WEIL	JILL GOWDEY	JIM & MARILYN TOOLEY
CAROL EDWARD & ANDREW MORROW	HELEN MACONOCHIE	MICHAEL & MARGARET WESTWOOD	EDITH HAMMELBECK	DAVID & PATRICIA TURNER
INGEBORG & JOHANNES EIDNES	JIM & BARBARA MARCOLIN	KEITH & MAUREEN WOOLNOUGH	LILIAN & ALLAN HART	LEON VAN DER ROEST
ROBERT & WINNIFRED EMMETT	JEAN MARIER & LISA POTHIER	HENRY B. & MELODIE YATES	ANDRE TAM HO	KIM VERGIL & LOUIS BISAILLON
GORDON ERSKINE & ROSEMARY MAYO-ERSKINE	KRISTIN MCLEISH & JOHN MORLEY	<div>BRONZE</div> <div>\$50 ≤ x < \$100</div>	SANDRA HUTCHINSON & PHILLIP MARCOVITCH	MARTHE & ALAIN VERRON
SHAN EVANS & RAMAN NAYAR	KARINE MONGRAIN & MATHIEU GELINAS		CATHY & RICHARD JACKSON	DOUGLAS & CONNIE WALKINGTON
JIM & HELEN FYLES	EDOUARD MONTPETIT	WILLIAM ABBA	PATRICIA JACKSON	MARY WELLS
PAUL & SHARI GAGNE	LOUIS MORIN & LOUISE MORIN	AINO ARIK	PENELOPE KAMICHAITIS	JB WILEY & SHARON PALMER
	COLIN MURRAY	DEBRA ASTROFF	WERNER KELLER & LOUISE KELLER	DAN & KITTY WILKES
	ANNE PALLÉN	ROBERT BAILEY & ANN DE POMINVILLE	URSULA & ERIC KRAYER-KRAUSS	ROBIN L. WILLIAMS

Continued from page 3

medicinal use is now forbidden in Canada, due to its high toxicity which can result in fatal incidents.

Growth: Like the trilliums, it grows slowly and can take two to three years to bloom. Once established, the bloodroot can live for many decades, if not disturbed.

To find them: Bloodroot is the first spring ephemeral to bloom. If you are lucky, you can find it while it blooms for a few hours on a sunny day often during the third week of April.

Red trillium *Trille rouge* *Trillium erectum*

Undoubtedly, the red trillium with its graceful simplicity is a work of art.



You might know it under the name of ill-scented trillium because its stench is reminiscent of a wet dog or of rotting meat which attracts the flesh fly as a pollinator - BlueRidgeKitties (Flickr)

Description: This very photogenic flower has three large and pointy leaves. Its blossom has three dark red petals over three light sepals. The combination of three in all parts of the different trilliums is the origin of their name.

Habitat: The red trillium establishes itself in rich woodland ecosystems. Like all of

the spring ephemerals (all trilliums, bloodroot and many others), it grows its flowers and leaves before the trees leaf out in the forest, taking advantage of two weeks of full sunlight on the forest floor in order to complete its life cycle.

Use: Trilliums fascinate many flower lovers around the world, but harvest threatens their survival. Indigenous people have used trilliums extensively for medicinal practices because of their antiseptic and antiallergenic properties.

To find them: In early May, in the maple grooves mixed in amongst the white trillium carpet. The red trillium flower buds open a few days before those of the white trillium.

White trillium *Trille blanc* *Trillium grandiflorum*

White trillium is one of the most familiar and beloved woodland spring ephemerals. Although it may seem abundant, do not pick it because of its vulnerable status.



White trillium, also called large-flowered trillium, is a pure delight by Debbie Wright

Description: Its large petals make it distinctive from all other trilliums which have narrow petals. Unlike the red trillium, the white trillium is odorless.

Habitat: The white trillium also grows in rich maple woodlands that include hickory or linden. They form large colonies that carpet the forest understory with dashes of some of the other spring ephemerals.

Use: More specifically, the white trillium's medicinal properties have been associated with birth related treatments and menstrual regulation.

Growth: Because they complete their annual life cycle within a month, their rhizome is slow to grow and it takes up to 10 years for the red or white trillium to mature and bloom.

To find them: The most impressive colony in the Arboretum is found along the Yellow trail near the Scout Cabin.

Tree Swallow *Hirondelle bicolor* *Tachycineta bicolor*

Watch them as they chase after flying insects with swift aerial twists and turns, their blue-green iridescent backs flashing in the sunlight.

Description: Both males and females have blueish black upper parts and clean white breasts -hence the name hirondelle bicolor in French. Their long, pointed wings can extend to approximately 35 cm and they measure about 14 cm in length which includes their shallowly forked tail. **Habitat:** Tree swallows live and breed in open habitats such as fields and wetlands.

Nesting: It builds a nest of stems, grasses and roots, assembled with fine grasses and feathers, in nest boxes, or natural cavities such as old woodpeckers' holes. They are also known to use empty bluebird nest boxes. The female

usually incubates 4 to 7 white eggs for 14-15 days.

Diet: Tree swallows like to pluck insects, such as mosquitoes from the air and can find large numbers in a few minutes during the summer. In winter, they feed on berries and other plant parts.

To find them: Every summer there are tree swallows residing in the Arboretum nest boxes and feeding on the hoards of mosquitoes from its wetlands. Look for them on the powerlines by the Conservation Centre.



Tree swallow leaving its nest box in search of a meal by André Rouleau

Eastern Comma *Polygone virgule* *Polygonia comma*

One of the first butterflies to come out of its winter cache, it can be seen on the wing on a warm day in April.

Description: The eastern commas have wings which have a very particular pattern of tawny orange, covered with dark spots and with jagged brown edges. Their wingspan is between



Eastern comma feeding on blackberry - PROJon Law Follow (Flickr)

5 and 6 cm. Males are slightly smaller and a brighter orange than females. On their underside they show a brownish pattern which resembles fallen leaves and includes a white mark in the form of a comma on the hindwing, which is the distinctive feature of the species.

Habitat and diet: Commas look for moist woodland, preferring the sunnier parts of the forest and feed on rot-

See our [program of nature talks and walks](#). Here's a sample:

Frog Songs: The Symphony of Spring
Saturday, May 14, 2016, 7:30-9:30 pm

This Just In: Spring Bird Migration Walk
Saturday, May 21, 2016, 8:00-12:00 am

ting fruit and sap flows. However, they can be observed in a variety of environments since they are very mobile.

Ecology: There are two generations per year: overwintering adults that are seen flying and laying eggs at the end of April, and then the summer form which emerges and flies from May to September. The eggs of the latter develop into the winter form which appears in September or October and soon seeks shelter in which to spend the winter. The two forms can be distinguished by the pattern of their upper hindwing, the winter form is orange with black dots whereas the summer form's is mostly all black.

To find them: One of the first insects to fly on warm days in late April, and found in mud puddles along the Orange trail and on the sunny edges of woodland trails.

White admiral *Amiral* *Limenitis Arthemis arthemis*

The admirals can show a great deal of variability in their wing patterns. Try to find as many different ones as possible.

Description: There are several forms or subspecies of this butterfly. Two of the subspecies have strikingly different appearances. One lives in the north and the other is found in the south. Where their ranges overlap, they hybridize. This creates a great deal of variability in the color patterns within the species. The arthemis subspecies is the northern form and the only one found here. Their upper-side is black with a broad white band across both wings. Underneath, their color is brown-amber, with the same white band. The patterns of blue and red dots vary from one individual to the next. Females and males look alike although females are slightly larger.

Habitat: White admirals prefer deciduous woodland, roads and clearings. They like to sun themselves on leaves or on gravel




A white admiral sun-bathing - Ian Redman (Flickr)

Continued on page 8

33, rue St-Pierre
Ste-Anne-de-Bellevue (Québec)
H9X 1Y7
Tél.: (514) 457-5731
Fax: (514) 457-5731

MARCHÉ J. RAYMOND RICHARD
ET FILS INC.



MARCHÉ RICHELIEU

Planting

Pruning

Tree Support

Evaluations
and more...



Plantation

Élagage

Haubanage

Évaluation
et plus...

514 457-7555 ARBORFOLIA.COM

The birds overwintering
at the Arboretum
are fed by:



Bird Protection
Quebec des oiseaux
du Québec

www.birdprotectionquebec.org

Continued from page 4

equipment that managed to squeeze great skiing from even the most miserable conditions. I have to admit that on a few days I forsook the skiing

for a peaceful walk around the Orange Trail; I was appreciative of the good walking surface cleared by Scott and his crew.

But the calendar tells us to expect more signs of spring. And for those of you lucky enough to have joined Chris for his late winter Owl Prowl, the hooting owls were saying the same thing. Spring is one of the four best seasons we have in the Arboretum. I hope you will enjoy it and that I will see you on the trail. 🌸

Continued from page 7

roads, where they periodically open and close their wings.

Life stages: The chrysalis is white with greyish-brown areas and cleverly resembles a bird dropping when it sits on a leaf. In Quebec, there is only one generation of butterflies each year which emerges in the late spring.

Diet: The preferred host plants for the admiral caterpillars include birches, willows, poplars and cherry trees. Butterflies are rarely seen on flowers as they prefer feeding on sap, aphid honeydew, rotting fruit and dung.

To find them: The Centre Road (orange trail) is an ideal location for them. 🌸

Morgan Arboretum Association

Established in 1952



**Dedicated to forest conservation
and environmental education**

Morgan Arboretum

21,111 Lakeshore Road P.O. Box 186
Macdonald Campus
Sainte-Anne-de-Bellevue, QC, H9X 3V9

Tel.: 514-398-7811

Fax: 514-398-7959

Email: morgan.arboretum@mcgill.ca

Web Site: www.morganarboretum.org

THE LEAFLET

is published in English and French,
twice a year in April and September

English revision:

Betsy McFarlane and Jenny Anderson

French translation:

Anne-Marie Pilon

Cover page photograph:

Female katsura tree in Blossom Corner

Commemoration

Contact Anne Godbout at 514.398.8697



Photo: David Inglis

BE
unique

Depuis 1995
 **Infografilm**.com
IMPRESSION NUMÉRIQUE ET GRAND FORMAT

BE
performing

Boutique en ligne
AFFICHAGE
SOLUTIONS.COM

BE
visible

Med:a
Mobile.ca

UNE SEULE ET MÊME ADRESSE : 1694, Cité-des-Jeunes, Les Cèdres **450 200-2002**